	Type	L #	Hits	Search Text	DBs
1	BRS	L1	450	712/216.ccls.	USPAT
2	BRS	L2	449	712/217.ccls.	USPAT
3	BRS	L3	404	712/218.ccls.	USPAT
4	BRS	L4	442	712/225.ccls.	USPAT
5	BRS	L6	47	global adj register adj file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L7	136	(global or shar$3) adj register adj file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L8	1123	(global or shar$3) adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
8	BRS	L9	23	(global or shar$3) adj register adj bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L10	143	((global or shar$3) near2 register) with (lock$3 or semaphore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L11	8	scoreboard$3 and (CID or (coprocessor adj ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
11	BRS	L12	8	scoreboard$3 and (CID or (coprocessor adj ID) or ((co adj processor)adj ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L13	95	L8 and (valid with register with bit$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L14	530	L8 and (register near2 (bit$3 or ID or valid))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
14	BRS	L15	197	L8 and (register adj (bit$3 or ID or valid))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L16	17	L8 near3 (enabl$3 or valid$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L17	25	((coprocessor or (co adj processor)) adj ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
17	BRS	L18	41470	((coprocessor or (co adj processor)) adj ID) or CID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L19	41470	((coprocessor or (co adj processor)) adj ID) or "CID"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L20	1581	$3processor$3 with register with (valid or ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
20	BRS	L21	804	$3processor$3 with register with (ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L22	198	$3processor$3 near2 register with (ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L23	112	$3processor$3 near2 (register near2 (ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
23	BRS	L24	277	($processor$3 near2 (ID or field)) near2 (register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L25	321	($processor$3 near2 (ID or field)) near2 ((shar$3 or global)(register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	L26	3	($processor$3 near2 (ID or field)) near2 ((shar$3 or global) near2 (register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB